



Advisory Circular

AC 000-1

Issue 1

21 June 2023

Acceptability of Parts and Reporting Suspected Unapproved Parts to CASA PNG

General

Civil Aviation Authority (CAA) advisory circulars (ACs) contain guidance and information about standards, practices, and procedures that the Director has found to be an **acceptable means of compliance** with the associated rules and legislation.

Consideration will be given to other methods of compliance that may be presented to the Director. When new standards, practices, or procedures are found to be acceptable, they will be added to the appropriate AC.

Purpose

This AC describes an acceptable means of compliance with Civil Aviation Rules, Parts 21 *Certification of Products and Parts* Subpart I and 43 *General Maintenance Rules* Subpart B, relating to the use of acceptable parts on type-certificated aircraft. It also provides a means for the PNG aviation industry to identify and report unacceptable parts and/or suspected unapproved parts to CASA PNG using form CAA 21-08 in Appendix 1.

Related Rules

This AC relates specifically to Civil Aviation Rules, Parts 21 *Certification of Products and Parts* Subpart I, 43 *General Maintenance Rules* and 145 *Aircraft Maintenance Organisations — Certifications*.

Change Notice

- This AC 000-1 Issue 1 cancels AC 000-1 Original.

Approval

This AC has been approved for publication by the Director of Civil Aviation.

Table of Contents

1. Introduction	4
2. General	4
2.1 Part 21 Subpart I – Materials, parts, processes, and appliances	4
2.2 Part 43 – Maintenance practices	4
2.3 Part 145 – Maintenance control procedures.....	5
2.4 Acceptable parts	5
2.5 Unacceptable parts & SUP Reporting form CAA 21-08	5
2.6 Definitions.....	6
2.7 Additional reference material.....	7
2.8 Parts manufacturing approval	8
3. Purchasers.....	9
3.1 General.....	9
3.2 Foreign sources.....	11
3.3 Parts purchasing	11
3.4 Records	12
3.5 Life-limited components.....	13
3.6 Salvaged parts.....	13
3.7 Unsalvageable parts.....	13
3.8 Surplus parts	14
3.9 Ex-military parts.....	14
4. Operators.....	17
4.1 General.....	17
4.2 Parts pooling	17
5. Installers	17
5.1 General.....	17
5.2 Determining eligibility.....	17
6. Disposal of Parts	19
Appendix 1 – Form CAA 21-08 _Reporting of Suspected Unapproved Parts to CASA....	20

1. Introduction

The basis for the airworthiness of an aeronautical product is that the product must conform to an approved design and be in a condition for safe operation. In order for the product to continue to be airworthy, any replacement or modification parts installed must also conform to the approved designs applicable to that product. Part 21 *Certification of Products and Parts* requires aircraft parts to meet certain conditions to be considered acceptable and Part 43 *General Maintenance Rules* requires each installer to use acceptable parts. Part 145 *Aircraft Maintenance Organisations – Certifications* requires an aircraft maintenance organisation to establish procedures to ensure the acceptable quality of parts and assemblies.

Investigations in the USA and Europe have highlighted those airworthiness authorities' problems with unacceptable parts in the aviation industry. The aviation industry in Papua New Guinea is not immune to the problems of unacceptable parts.

This AC provides guidance on determining the acceptability of parts for use on type-certificated aircraft.

2. General

Correct documentation generally assures the acceptability of a part. These documents, when correctly completed, assure a purchaser of the eligibility of aircraft parts.

2.1 AMC Part 21 Subpart I – Materials, parts, processes, and appliances

This Subpart defines those materials, parts, processes, and appliances that are considered acceptable for the use on type-certificated products. Rule 21.103 lists the particular requirements for a material, part, or appliance to be eligible for installation.

Rule 21.103 prescribes the documentation requirements for PNG parts. Rule 21.103 also provides for the acceptance of imported parts by the Director. The acceptance under rule 21.103 does not require the acceptance of individual parts by the Director. Individual acceptance of parts by the Director is not feasible nor appropriate.

The rule provides requirements that, if complied with, should ensure the acceptability of a particular part. This AC discusses documentation, traceability, type conformity, and quality to be considered by purchasers, operators, and installers when sourcing spare parts. Following these guidelines should assure the acceptability of parts.

2.2 EM Part 43 – Maintenance practices

Part 43 requires, in the relevant clauses of rule 43.53, that each person performing maintenance on an aircraft or aircraft component:

- (a) use acceptable methods, techniques, and practices

- (b) use materials, parts, and appliances in accordance with the requirements of Part 21 Subpart I
- (c) restore the aircraft or aircraft component to its original or properly modified condition.

These requirements of Part 43 mean that only acceptable parts may be used during the maintenance of a type-certificated aircraft or aircraft component.

2.3 EM Part 145 – Maintenance control procedures

Part 145 requires, in rule 145.109, that a maintenance organisation establish procedures –

- (a) to ensure the use of acceptable maintenance techniques and practices
- (b) to ensure acceptable quality of raw materials, parts and assemblies purchased.

2.4 AMC Acceptable parts

To be considered acceptable, parts should comply with one of the following:

- (a) Engines and propellers should be accompanied with a correctly completed authorised release certificate, such as—
 - (1) CASA PNG Form One
 - (2) NZ CAA Form One
 - (2) FAA 8130-3
 - (3) EASA Form 1 (formerly JAA Form One)
 - (4) CASA Form 1 (formerly DA1)
 - (5) Transport Canada Form One (formerly TC24-0078)
 - (6) an equivalent document issued by an organisation in accordance with the airworthiness requirements of an ICAO Contracting State.
- (b) Finite life components, critical parts and parts that require regular maintenance by a certificated Part 145 *Aircraft Maintenance Organisations—Certifications* should be—
 - (1) accompanied by one of the documents specified above; or
 - (2) if none of the documents specified above are available—
 - (i) accompanied by a PNG CAA Form Two; or
 - (ii) accompanied by another type of documentation recognised by the airworthiness authority of an ICAO Contracting State; or
 - (iii) passed to a PNG Part 145 organisation to determine the conformity of the item and issue a CASA PNG Form One.
- (c) All other components should be examined by the purchaser, operator, and installer in accordance with this AC.

2.5 AMC Unacceptable parts

In 1996 the Federal Aviation Administration (FAA) established a specific office for the reporting and investigation of what they termed “suspected unapproved parts”, or SUPS. This office provides various support services to aviation participants and can be found on the FAA

website.

An **unacceptable part** is a material, part, or appliance that:

- (a) has not been manufactured or repaired in accordance with the appropriate procedures required by the rules
- (b) if serialised, has lost its manufacturer's serial number identification
- (c) does not conform to acceptable technical data applicable to the type design
- (d) does not conform to established industry specifications

In Papua New Guinea the above parts are considered unacceptable with respect to rules 43.53, 145.109 and 21.103, and must not be installed on a type-certificated product. Examples of unacceptable parts include, but are not limited to:

- (a) counterfeit or fraudulently marked parts, components, or materials
- (b) stolen parts available on the surplus aviation parts market

The subject of a FAA notice, engines from a Boeing 757 that crashed in South America were stolen before the investigation teams could arrive on site.

- (c) parts available from manufacturers or suppliers that do not hold the appropriate certifications to produce or supply those parts
- (d) parts that have not been maintained, repaired, or returned to service in accordance with Parts 43 or 145.

Identification of unacceptable parts is often difficult, due to the similarity of characteristics between unacceptable parts and acceptable parts. Unacceptable parts pose a significant safety risk when installed on aircraft, either intentionally or unintentionally.

It is the operator's responsibility to be aware of the possible consequences of using questionable parts on certificated aircraft. An operator using a part of unknown quality, condition, or origin must be able to prove conclusively that such parts conform to the type design in accordance with rule 21.103(1).

Parts considered unacceptable and/or **suspected to be unapproved parts** should be immediately reported to CASA PNG Manager Airworthiness using **Form CAA 21-08 in Appendix 1**. Instructions on how to complete or fill out the form is found in Appendix 1.

2.6 Definitions

See also *Civil Aviation Rules, Part 1 Definitions and Abbreviations* for other terms.

Article means any material, part, process, or appliance.

New means an aeronautical product that has accumulated no operating time or operating cycles.

Newly overhauled describes a product that has not been operated or placed in service, except for functional testing, since having been overhauled, inspected, and certified for return to service.

OEM is an acronym for Original Equipment Manufacturer

Rebuilt describes an aeronautical product that has been disassembled, cleaned, inspected, repaired as necessary, and reassembled to the same tolerances as a new item:

Surplus describes an aeronautical product that has been released as surplus by the military, by manufacturers, or by other parts suppliers.

Standard part: In relation to the Part 1 definition of a standard part, national and international aeronautical specifications are published by standard setting organisations and include design, material, manufacture, and identification requirements. Standard part specifications are detailed in one of the following series.

- (a) Air Force-Navy Aeronautical Standard (AN)
- (b) American National Standards Institute (ANSI)
- (c) Australian Standards (AS)
- (d) British Standards, Aircraft Series (BS)
- (e) Military Standards (MS)
- (f) Military Specifications (MIL-SPEC)
- (g) National Aerospace Standards (NAS)
- (h) New Zealand Standards (NZS)
- (i) SAE Aerospace Standard (AS)
- (j) Society of Automotive Engineers (SAE)

2.7 Additional reference material

The following documents, at the latest revisions, also provide useful information on the determination of acceptable parts:

- (a) FAA ACs
 - (1) AC00-56 *Voluntary Industry Distributor Accreditation Program*
 - (2) AC20-29 *Use of Aircraft Fuel Anti-icing Additives*
 - (3) AC20-62 *Eligibility, Quality, & Identification of Aeronautical Replacement Parts*
 - (4) AC21-2 *Complying with the Requirements of Importing Countries or Jurisdictions When Exporting U.S. Products, Articles, or Parts*
 - (5) AC21-13 *Standard Airworthiness Certification of Surplus Military Aircraft and Aircraft Built from Spare and Surplus Parts*
 - (6) AC21-29 *Detecting and Reporting Suspected Unapproved Parts*
- (b) FAA Orders
 - (1) 8120.16 *Suspected Unapproved Parts Program*
 - (2) 8130.21 *Procedures for Completion and Use of the Authorized Release Certificate, FAA Form 8130-3, Airworthiness Approval Tag*
 - (3) 8110.42 *Parts Manufacturer Approval Procedures*

2.8 EM Parts manufacturing approval

Parts Manufacturer Approval (PMA) is a unique design and manufacturing approval process developed by the FAA in the 1950 and still widely used today typically only by the FAA. CAA New Zealand and Australia's CASA (APMAs) also have the authority to approve them. The term applies to several different situations.

- (a) A company independently designs a **replacement** for an OEM part and obtains FAA approval of the design and the associated manufacturing and quality control process using the PMA approval procedure.
- (b) A company develops a **modification** to an aircraft, engine or component and obtains approval by STC (supplemental type certificate). Production of the parts for the modification is carried out with a PMA approval and parts are identified as such.
- (i) A supplier is authorized by the OEM to manufacture and sell **replacement** parts under a license agreement. These parts are also identified as PMA parts.

Prices of PMA parts are typically less than the equivalent OEM prices. Since, in the aircraft maintenance environment, purchased parts account for a significant proportion of costs, the cost savings can sometimes be substantial. In addition to cost savings, PMA parts may provide other benefits such as:

- (a) improved availability in those cases where the OEM has stopped production of the original part
- (b) improved reliability, if the PMA supplier introduces a better design and/or manufacturing procedure
- (c) improved lead times, supporting faster turnaround and promoting inventory efficiency.

PMA parts should not be confused with standard parts which are acceptable for use in accordance with rule 21.103(6) and meet standards such as SAE, ANSI and MS.

AMC Acceptability of PMA parts

The following PMA parts are acceptable to the Director for use in Papua New Guinea:

- (a) FAA Parts Manufacturer Approval (FAA-PMA)
- (b) CASA Australian Parts Manufacturer Approval (APMA)
- (c) CAA NZ Parts Manufacturer Approval (NZPMA)
- (d) Transport Canada Part Design Approval (PDA)

PMA parts must be appropriate to the product, component, or appliance (that is product type is listed on the PMA approval) and the part which they replace must be a valid part on the product.

PMA parts must not conflict with data provided by the manufacturer of the product or assembly on which the PMA part is to be installed. Some manufacturers put specific conditions on the use of PMA parts. For example: Continuing Airworthiness Notice – 05-007 Lycoming Service Instruction 1009 states: *“The TBOs stated in this Service Instruction do not apply to engines that: [...] Have been assembled, repaired, or overhauled with FAA-PMA parts, where the FAA-PMA parts have not been approved for use by Lycoming”*. This specific example stems

from the risk that when Lycoming extended TBO (time between overhaul) intervals, the PMA approvals were not updated and still based on the older TBO intervals.

The owner/operator should be aware of several things: Are the life limits different to the equivalent OEM parts? Is the aircraft/engine warranty voided by fitting the PMA parts? Can the OEM part ICA apply to PMA parts?

Owners of aircraft with PMA parts fitted have, in the past, wrongly assumed that only the OEM continuing airworthiness instructions are applicable. (For example: CASA AWB 02-013 reported a Cessna P210N with a PMA cylinder installed experienced catastrophic engine failure. The failure was due to a bad batch of cylinders. The PMA manufacturer had issued a mandatory service bulletin, and would have replaced free of charge had the aircraft operator been aware of it.) Persons responsible for maintenance should ensure they check service information from the PMA holder.

There is also a risk in the use of unapproved parts which claim to be 'PMA approved' but are not. A number of unscrupulous manufacturers have exploited the fact that, due to the large number of FAA PMA approval holders, it can be difficult to determine if the PMA parts are genuine. The FAA maintain a database of their PMA holders at this web site <http://rgl.faa.gov/>.

'STC' or 'modification' PMA parts

'STC' or 'modification' PMA parts may have different airworthiness limitations and their own Instructions for Continuing Airworthiness.

STC PMA Parts:

- (a) will require the permission of / registration with STC holder
- (b) must have an STC that is supplemental to the type certificate accepted by the Director.

They may also:

- (a) require IA conformity certification
- (b) have different AD compliance
- (c) have their own service information – SBs and so on.

3. EM Purchasers

3.1 General

To assure the acceptability of parts, purchasers should aim to ensure complete traceability, type conformity, and quality. If these aspects cannot be assured the part should not be considered for purchase.

A purchaser can ensure the acceptability of a part by insisting on the correct documentation. This documentation should include the following information.

- (a) the country of issue
- (b) the airworthiness authority of the country of issue

- (c) a reference to the approved manufacturing or maintenance organisation the part is sourced from
- (d) a description of the part including as appropriate—
 - (1) the nomenclature
 - (4) the part number
 - (5) the eligibility for use
 - (6) the quantity
 - (7) the serial number or batch number
- (e) the status of the part including—
 - (1) fatigue, cycle, shelf, or overhaul life
 - (2) airworthiness directive status
 - (3) compliance or non-compliance with service bulletins
 - (4) the standards to which maintenance has been performed
 - (5) any limitations associated with the part's use
- (f) a certification as to the status of the part and that the part meets the applicable airworthiness requirements.

Documents that, when completed in accordance with the appropriate airworthiness authority's requirements, provide assurance to a purchaser, operator, and installer as to a part's eligibility for installation include, but are not limited to the:

- (a) NZ CAA Form One
- (b) NZ CAA Form Two
- (c) FAA Form 8130-3
- (d) EASA Form 1 (formerly JAA Form One)
- (e) CASA Form 1 (formerly DA1)
- (f) Transport Canada Form One (formerly TC24-0078)

Purchasers are cautioned that the accompanying documents should be carefully assessed for compliance with the requirements of issue. Incorrectly completed forms immediately indicate a possible problem with the part. Suppliers of suspected unacceptable parts often fill in supporting documentation incorrectly in the false belief that incorrect documentation absolves them of any fraudulent actions.

The CAA considers that legitimate issuers of authorised release certificates should know how to fill them out correctly. If the form is not filled out correctly, treat the part with suspicion.

It is often difficult to determine the correct use of a form from a country other than the USA, Europe, Canada, or Australia. These authorities provide information on the use of their documents that is readily available. For example, FAA Order 8130-21 details what should and should not be found on the FAA Form 8130-3.

Finite life components and other parts that are not accompanied by correct forms from the countries listed above should be passed through a CASA PNG certificated Part 145 organisation to determine the conformity of the item. To determine the conformity of a component a certificated Part 145 organisation will have procedures in its exposition that should ensure:

- (a) the source of the component is appropriate and that any certification made has been made in accordance with the suppliers procedures (this will normally involve direct contact with the supplier)
- (b) the records reflect the complete life and history of the component
- (c) the component is sufficiently dismantled to confirm its conformity
- (d) the CAA Form One is issued correctly.

All parts must be manufactured or maintained under controlled conditions but the ultimate responsibility is on the installer. Purchasers should endeavour to ensure that the parts are acceptable before buying, as no person may subsequently be willing to fit that part to an aircraft. The purchaser should also ensure that the required documentation is available for the installer to be satisfied as to the part's acceptability.

Purchasers should not place installers in the position of accepting responsibility for an unacceptable part.

3.2 EM Foreign sources

Foreign authorities, such as the FAA do not approve Part 144 supply organisations. The FAA in particular, pursues the unapproved parts suppliers in their country, but without recognised FAA approval, foreign purchasers have little proof of an organisation's reputation. Purchasers should consider that these types of suppliers may look to other countries, such as Papua New Guinea, for customers.

Problems with documentation accompanying parts will normally be addressed and resolved between authorities. The CASA PNG is actively pursuing suitable agreements with foreign authorities to clarify the requirements regarding acceptable parts.

3.3 Parts purchasing

Parts Purchasing:

KNOW YOUR SUPPLIER

When purchasing parts there are several factors to consider when determining if a part is acceptable for installation on a product. The purchaser should:

- (a) Establish if the supplier is authorised to manufacture or distribute parts they supply.
- (b) Screen a potential supplier taking into consideration.
 - (1) **The quoted price**
 - (i) Is the price significantly lower than the price quoted by other suppliers of the same part?

- (2) **The delivery schedule**
 - (i) Is the delivery schedule significantly shorter than that of other suppliers of the same part?
 - (3) **Accompanying data**
 - (i) Can the supplier provide drawings, specifications, overhaul manuals, or substantiating data demonstrating the conformity of the part?
 - (4) **Part approval**
 - (i) Can the supplier or maintenance organisation provide evidence of approval for the part or organisation?
 - (5) **Unlimited parts**
 - (i) Have discussions created a perception that an unlimited supply of parts, components, or material are available to the end user?
- (c) Check the parts on receipt taking into consideration—
- (1) **Packaging**
 - (i) A visual inspection may indicate that the product container reveals it has come from another supplier's name, is unmarked, or damaged.
 - (2) **Documentation**
 - (i) A cross check of the purchase order with the delivery receipt for proper part number and serial number.
 - (ii) A sampling of any certifications made by the supplier to ensure that they are correct and valid.
 - (3) **Limitations**
 - (i) Check to ensure that any shelf life or equivalent life limitation has not expired.
 - (4) **Visual condition**
 - (i) Check that the part identification requirements have been met and that serial numbers have not been defaced, removed, or placed in other than normal positions.
 - (ii) Check any evidence of visual defects or abnormalities such as surface finish, prior usage, new and old paint together, or corrosion.
 - (iii) If receiving a large number of similar items, such as nuts and bolts, the inspection of a sample of the parts may be sufficient.
 - (iv) If dealing with expensive or critical components, or establishing a source for ongoing supply, consider visiting the supplier to assure yourself as to the processes that the supplier follows in providing parts.

3.4 EM Records

Purchasers of parts should require the following records, particularly with life-limited parts, and ensure that they are complete and accurate:

- (a) Records pertaining to the manufacturing, inspection, maintenance, and operation of the part including any certifications made regarding the parts.
- (b) Records of the manufacture of the part showing it was produced under appropriately approved conditions and show that it is still in an airworthy condition.
- (c) Records of engines, gear box assemblies, landing gears, instruments, or other parts that show they originally conformed to the type design and have been maintained in accordance with the applicable requirements.

3.5 EM Life-limited components

All life-limited components should be provided with a set of records that reflect the entire service of that component. The service life should be continuous from new and include the relevant repair information. Life-limited components that do not provide complete service histories are not considered acceptable.

3.6 EM Salvaged parts

Salvaged parts which have come from aircraft that have been involved in accidents or from unserviceable aircraft, are available to purchasers as replacements. Such items may have been subjected to forces or environments which would render them permanently unairworthy.

All parts salvaged from unserviceable aircraft or aircraft involved in accidents, shall be placed in Quarantine Stores until such time, proper inspections described in paragraph 3.6.1 and 3.6.2 are completed and a decision is made on whether to reject or salvage the part.

3.6.1 Parts Salvaged from aircraft involved in accidents: Purchasers should consider rejecting parts that have been exposed to:

- (a) heat or fire damage
- (b) foreign or corrosive liquids
- (c) salt water from previously submerged aircraft
- (d) excessive inertia forces or impact damage.

A part may not show any signs of distress from these factors but manufacturers' maintenance manuals usually provide guidance on the serviceability of such parts involved in accidents. For example, helicopter accidents involving severe rotor strikes usually render the transmission unserviceable.

Parts salvaged from aircraft involved in accidents should be considered unairworthy until proven airworthy. It should be sent for further inspection by an approved Part 145 maintenance, repair and overhaul (MRO) workshop for inspection, rejection or repair, overhaul and restoration as appropriate. Only parts issued with an appropriate Form One Authorised Release Certificate (ARC) listed in paragraph 3.6.2 may be re-used on serviceable aircraft.

3.6.2 Parts Salvaged from Unserviceable aircraft

3.6.2.1 Inspect the Part, Documentation and Continuing Airworthiness status: Parts removed from serviceable aircraft should be routed through an approved Part 145 maintenance organisation stores for initial inspection of the condition of the part, the _____

continuing airworthiness status and documentation.

Check and ensure the acceptability of the part by checking for correct documentation. This documentation should include the following information.

- (a) the country of issue
- (b) the airworthiness authority of the country of issue
- (c) a reference to the approved manufacturing or maintenance organisation the part is sourced from
- (d) a description of the part including as appropriate—
 - (1) the nomenclature
 - (8) the part number
 - (9) the eligibility for use
 - (10) the quantity
 - (11) the serial number or batch number
- (e) the continuing airworthiness status of the part including—
 - (1) component life in Hours (ie. TSN, TSO), cycles (CSN, CSO, etc.)
 - (2) fatigue cycle, shelf life, or overhaul life
 - (3) airworthiness directive compliance status
 - (4) compliance or non-compliance with alert service bulletins or SBs
 - (5) the standards to which maintenance has been performed
 - (6) any limitations associated with the part's use
- (f) a certification as to the status of the part and that the part meets the applicable airworthiness requirements should be made by appropriately qualified and personnel authorised by the Part 145 organisation.

Documents that, when completed in accordance with the appropriate airworthiness authority's requirements, provide assurance to a purchaser, operator, and installer as to a part's eligibility for installation include, but are not limited to the:

- (g) CASA PNG Form One; or
- (h) NZ CAA Form One; or
- (i) FAA Form 8130-3; or
- (j) EASA Form 1 (formerly JAA Form One); or
- (k) CASA Form 1 (formerly DA1); or
- (l) Transport Canada Form One (formerly TC24-0078)

Any part that is found to be missing any of the documentation above should be considered unairworthy and placed in an approved Part 145 Quarantine stores and sent to an approved maintenance, repair or overhaul workshop to be restored and issued with a Form One Authorised Release Certificate before it can be considered for re-use on a serviceable aircraft.

3.7 EM Unsalvageable parts

It is common practice for possessors of aircraft parts to dispose of unsalvageable parts and materials by selling, discarding, or transferring such items. In some instances, these items have reappeared for sale in the aviation community. Misrepresentation of the status of parts and material and the practice of making such items appear serviceable have resulted in the use of unsalvageable non-conforming parts and materials.

Persons disposing of unsalvageable aircraft parts and materials should, when appropriate, mutilate those parts and materials prior to release. Mutilated parts should not be able to be reworked or camouflaged to provide the appearance of being serviceable but instances of this practice have been found in New Zealand.

A rotor blade was found in service that had been mutilated and discarded. The blade had been 'patched', not in a way to ensure its serviceability but only to hide the mutilation. This practice has significant safety implications and is unacceptable.

All purchasers of aircraft parts and materials should ensure that misrepresented unsalvageable parts and materials are not received. Purchasers should be cautious when receiving parts:

- (a) showing signs of rework, but sold as new
- (b) that described as new but are sold with maintenance release tags reflecting a status other than new
- (c) with a significant service history but appear new
- (d) that have damaged or partly mutilated identifying plates and information
- (e) showing signs of inappropriate repair
- (f) exhibiting poor workmanship or signs of rework in the area of the part number or serial number inscription
- (g) with prices too good to be true
- (h) lacking verifiable documentation of history and approved manufacture or repair
- (i) with questionable part numbers or identification markings.

3.8 EM Surplus parts

Parts are often released as surplus by manufacturers, the military, and suppliers. Parts obtained from surplus sources may be used, provided:

- (a) they meet the standards to which they were manufactured
- (b) they are interchangeable with the original part
- (c) they are in compliance with all applicable airworthiness directives

Purchasers should be aware that surplus parts may not be controlled adequately between the time they are determined to be surplus and when they are disposed of. Records or information for surplus parts should be checked for the actions taken after removal from service. Particular care should be taken to examine storage time and conditions.

3.9 EM Ex-military parts

Inspection itself is not necessarily sufficient to determine if a military part is interchangeable with a civilian part

The numbers of ex-military aircraft entering the civilian aviation market continues to increase. The US military in particular is releasing increasing numbers of helicopters. Many of these aircraft are outwardly equivalent to the civilian model of the same aircraft and may or may not use the same parts.

Ex-military aircraft can be, and have been, issued civilian type certificates or type acceptance certificates when shown to meet the applicable design requirements. In addition, major components and spare parts for these aircraft may be available separately. In order that these parts may be used they must have been manufactured and inspected in accordance with civilian requirements.

Special attention should be given to areas that are critical to airworthiness, including the following:

- (a) Major components such as wings, fuselage, landing gear, engine mounts, cowlings, engines, controls and control systems, and instrumentation.
- (b) Propellers, rotors, and related parts.

Purchasers of surplus military aircraft and parts should be aware of the civil requirements, and that such aircraft and parts must comply with the civil rule requirements to be acceptable. Ex-military parts are acceptable on standard category aircraft if they are:

- (a) new or newly overhauled
- (b) traceable to the manufacturer or maintenance organisation
- (c) interchangeable with the civilian part, normally identified in the aircraft manufacturer's manuals
- (d) complying with all airworthiness directives applying to the civilian part

Purchasers should be aware of the following when examining military parts for purchase.

EM Interchangeability

Inspection itself is not necessarily sufficient to determine if a military part is interchangeable with a civilian part. Military parts that are identical to civilian parts may have different part numbers. Unless the manufacturer is contacted or has provided the appropriate information, and the complete history of the part can be determined back to manufacture, the acceptability of a military part cannot be assured.

EM Life limitations

Determining the appropriate life remaining for a part is difficult. Military and civilian life limitations may be different and the in service use has normally been taken into account when setting the military limitation. Retirement lives are generally listed on the type certificate data sheet or its accompanying documents and purchasers should examine these limitations before buying a life-limited part.

On standard category aircraft the parts must be new or newly overhauled; that is, the part must be returned to zero life.

On restricted category aircraft, life-limited parts may be used for the remaining time left on the part providing the record of time is clearly reflected in the aircraft log books. The remaining time is calculated from the lesser of:

- (a) the military life limit; or
- (b) the civilian life limit; or
- (c) the life limit applied by an airworthiness directive to an equivalent civilian aircraft.

The life of a part used on a civilian aircraft can be restricted based upon the number of landings or cycles. Military parts are not always limited in this way. The correct life should be determined:

- (a) from actual service records that reflect the required limit; or
- (b) from a conversion calculation that has been provided by the manufacturer of the part to convert time in service to landings or cycles.

If neither limit can be determined the part is unacceptable.

EM Operational considerations

Military aircraft are generally operated in conditions and manners considerably different to civilian aircraft. The operational limitations may permit the aircraft to be used beyond the civilian acceptable parameters. When purchasing parts the previous usage should be determined and assessed. From this determination, by review of records, and detailed non-destructive inspection, parts that have evidence of excessive stress or operation beyond the acceptable civilian limitations, are not acceptable.

EM Manufacturing considerations

Military parts may not have been manufactured under the same conditions and the materials, specifications, and manufacturing quality may be different to the equivalent civilian part. The differently produced parts should have different part numbers and are therefore not interchangeable.

EM Maintenance programmes

During its service life a military aircraft is normally maintained in accordance with a military programme. These programmes may vary the life, time between service, and condition of parts on those aircraft. The military programme may not provide acceptable compliance with the civilian airworthiness requirements.

EM Modifications and repairs

Modifications and repairs to military aircraft are not required to conform to civilian standards. Purchasers should examine the maintenance records of military parts for modifications and repairs that do not comply with civilian airworthiness requirements. If modifications or repairs exist, design approval of the change by a CASA PNG approved Part 146 Design Organisation will be required before the part is used.

EM Manufacturer out of business

Even when an original manufacturer has ceased production some parts are available for a given aircraft type for a number of years after its removal from military service. If original-manufacturer fabrication can be substantiated for such parts, they are acceptable providing they comply with all applicable airworthiness directives.

Certain parts are scarce. Occasionally, parties other than the original or approved manufacturer produce these parts illegally and offer them for sale. These parts are unacceptable.

4. EM Operators

4.1 General

Under rule 91.101 each operator is responsible for the airworthy condition of their aircraft. This responsibility means that the operator must ensure that all replacement parts meet or exceed original certification standards. The operator must ensure that the required documentation is available for the installer to be satisfied as to a part's acceptability.

Operators should not place installers in the position of accepting responsibility for an unacceptable part.

4.2 EM Parts pooling

Parts pooling is normally only applicable to the larger air transport operators who team with other operators to reduce spares holdings or make more efficient use of common spares systems.

Parts pooling systems must be detailed in the operator's exposition and provide for:

- (a) initial inspection of the parts pooling facilities;
- (b) continued inspection of the parts pooling facilities;
- (c) parts pooling facilities to only perform work in accordance with the operator's manuals; and
- (d) the identification of the sources of parts entering the system.

When using parts pooling facilities operators should consider the variances, if any, of overhaul times and lives of parts between operators using the pool. The operators must ensure that their exposition is followed when applying service lives.

5. EM Installers

5.1 General

Rule 43.53, that each person performing maintenance on an aircraft or aircraft component (the "installer"):

- (a) use acceptable methods, techniques, and practices;
- (b) use materials, parts, and appliances in accordance with the requirements of Part 21 Subpart I; and
- (c) restore the aircraft or aircraft component to its original or properly modified condition.

Where an operator is responsible for the airworthiness of an aircraft, it is ultimately the installer that decides to fit a part. The installer, normally a licensed aircraft maintenance engineer, must ensure that the part is appropriate for the aircraft onto which it is to be fitted.

5.2 EM Determining eligibility

The installer should determine the eligibility of the part by:

- (a) determining the correct description for the part from—
 - (1) the approved type design;
 - (2) the manufacturer's parts catalogue;
 - (3) the type certificate data sheet or equivalent document issued by an airworthiness authority;
 - (4) acceptable technical data that is current and applicable to the type design; and
 - (5) a certified statement on the accompanying documentation that states what the part is or if it is an approved substitute.
- (b) ensuring that the description of the part as marked on the part, its container, or the accompanying documentation, is identical to the correct description determined above
- (c) ensuring that the traceability of the part provides for determining the part's conformity with acceptable technical data.

The existence of release documentation alone does not automatically constitute authority to install the part.

The installer must ensure that the part is to the required design and modification standard for fitment. Inspection alone may not provide this assurance and documentation should be assessed to ensure compliance with manufacturing or maintenance quality standards, airworthiness directives, and life limitations. Whenever the current status of life-limited parts cannot be established and the historical records are not available, the airworthiness of that part cannot be determined and it must be removed from service.

The part must be able to be traced back to the manufacturer or certificated maintenance organisation that performed work on the part. If this traceability cannot be determined the part must be considered unacceptable.

Correct documentation is normally the only mechanism for an installer to assess the history of a part. Documents that, when completed in accordance with the appropriate airworthiness authority's requirements, provide assurance to an installer as to a part's eligibility for installation include, but are not limited to the:

- (a) NZ CAA Form One
- (b) NZ CAA Form Two
- (c) FAA Form 8130-3
- (d) EASA Form 1 (formerly JAA Form One)
- (e) CASA Form 1 (formerly DA1)

(f) Transport Canada Form One (TC24-0078)

Particular note should be taken of serial numbers of serialised items and a comparison made with the physical identification on the item. If a serialised item is not identified with the genuine manufacturer's data plate or other markings then:

- (a) the item should not be used
- (b) the manufacturer of the item should be contacted for advice

Installers are cautioned that the accompanying documents should be carefully assessed for compliance with the requirements of issue. Incorrectly completed forms immediately indicate a possible problem with the part. Suppliers of suspected unacceptable parts often fill in supporting documentation incorrectly in the false belief that incorrect documentation absolves them of any fraudulent actions.

The CASA PNG considers that legitimate issuers of authorised release certificates should know how to fill them out correctly. If the form is not filled out correctly, suspect the part.

Other documentation should be carefully assessed for the required information to reflect a part acceptance for use. The responsibility for the use of a part that is not accompanied with one of the above documents is firmly with the installer. The reliance on the certification of an unapproved organisation does not absolve the installer of the responsibility for the use of a part subsequently found to be unacceptable.

6. EM Disposal of Parts

In some instances parts that are damaged or life expired must be disposed of. It is in the interests of the industry as a whole to ensure that these parts do not re-enter the aviation system.

Actions taken to dispose of parts must ensure that under no circumstances can the part be restored. When appropriate the parts should be mutilated in such a manner that the parts become unusable for their original intended use. Mutilated parts should not be able to be reworked or camouflaged to provide the appearance of being serviceable, including actions such as replating, shortening and rethreading long bolts, welding, straightening, machining, cleaning, polishing, or repainting.

Caution should be exercised to ensure that the following types of parts and materials are disposed of in a manner that does not allow them to be returned to service:

- (a) Parts with non-repairable defects, particularly those not visible to the naked eye.
- (b) Parts that are not within the specifications set forth by the approved design, and cannot be brought into conformance with applicable specifications.
- (c) Parts and materials for which further processing or rework cannot make them eligible for use.
- (d) Parts subjected to unapproved modification or rework that is irreversible.
- (e) Life-limited parts that have reached or exceeded their life limits, or have missing or incomplete records.

Note: In some cases, part manufacturers may extend life limitations. In these cases, parts that are close to their life limits that have been removed from service may be eligible for further use. The installer must ensure that they have been appropriately stored, meet the manufacturer's criteria for life extension, and have accurate part identification and records.

- (f) Parts that cannot be returned to airworthy condition due to exposure to extreme forces or heat.
- (g) Principal structural elements (PSE) removed from a high cycle aircraft for which conformity cannot be accomplished.



AC 000-1 APPENDIX 1-SUSPECTED UNAPPROVED PARTS REPORT

Refer to page 2 for instructions on how to complete this form.

1. Date the Part Was Discovered:		2. Part Name:	
3. Part Number:		4. Part Serial Number:	
5. Quantity:	6. Assembly Name and Number: Name: Number:	7. Aircraft Make & Model: Make: Model:	
8. Name, Address, and Description of the Company or Person Who Supplied or Repaired the Part:			
Name:		Street Address:	
City:	State:	ZIP Code:	
Country:		Phone Number:	
Check One of the Following Applicable to the Company or Person Who Supplied or Repaired the Part:			
<input type="checkbox"/> AOC – Certificate #	<input type="checkbox"/> Supplier		
<input type="checkbox"/> AME License #	<input type="checkbox"/> Production Approval Holder		
<input type="checkbox"/> MOC– Certificate #	<input type="checkbox"/> Manufacturer		
<input type="checkbox"/> Distributor	<input type="checkbox"/> Other		
<input type="checkbox"/> Owner/Operator	<input type="checkbox"/> Unknown		
9. Description of the Issue: (attach additional sheet if necessary)			
10. Name and Address of (the Company or Person) Where the Part Was Discovered:			
Name:		Street Address:	
City:	State:	ZIP Code:	
Country:		Phone Number:	
Check One of the Following Applicable to the Company or Person Who Discovered the Part:			
<input type="checkbox"/> AOC - Certificate #	<input type="checkbox"/> CASA Inspector		
<input type="checkbox"/> AME - Licence #	<input type="checkbox"/> DOT Inspector		
<input type="checkbox"/> CAR 145 MOC- Certificate #	<input type="checkbox"/> Accident Investigation Commission		
<input type="checkbox"/> Distributor	<input type="checkbox"/> Other Government Agency		
<input type="checkbox"/> Supplier	<input type="checkbox"/> Foreign Civil Aviation Authority		
<input type="checkbox"/> Production Approval Holder	<input type="checkbox"/> Owner/Operator		
<input type="checkbox"/> Unknown	<input type="checkbox"/> Other		
11. Date of This Report:			
12. <input type="checkbox"/> Check this box if you request anonymity - Do not complete block 13.			
13. Name and Address of the Reporter:			
Name:		Street Address:	
City:	State:	ZIP Code:	
Country:		Phone Number:	
14. <input type="checkbox"/> Check this box if you request confidentiality.			
15. <input type="checkbox"/> Check this box if you have attached additional information.			

Instructions for Completing CAA Form 21-08, Suspected Unapproved Parts Report

1. Record the date the part was discovered.
2. Record the part name (or a description of the part).
3. Record the part number or identification number of the part.
4. Record the serial number on the part, if applicable.
5. Record the quantity of parts.
6. Record the assembly name and assembly number (where the part was or could be installed).

Record additional part numbers on page 3 or on a blank sheet of paper with the same information. Example:

Part Name: Strut | Part Number: 1234 | Serial Number: 678 | Quantity: 1 | Assembly Name: Main Landing Gear | Assembly Number: 56789X

7. Record the type of aircraft the part was (or could be) installed on.
8. Record the complete name and address of the company or person who produced, repaired, and/or sold the part. Do not list a P.O. Box address unless a street address is not available.

Check the box that describes the company or person and provide the certificate number, if known.

AOC holder - A CASA PNG-certificated company or person who undertakes directly by lease, or other arrangement, to engage in commercial air transportation.	Supplier - A company or person who furnishes aircraft parts or related services, at any tier, to the producer of a product or part thereof.
AME - Aircraft Maintenance Engineer -a person holding a PNG aircraft maintenance engineer licence with airframe and/or powerplant ratings.	Production Approval Holder - A company or person holding one of the following four types of FAA production approvals: production certificate, approved production inspection system, parts manufacturer approval, or technical standard order authorization.
CAR 145 MOC - a certificated maintenance organization.	Manufacturer - The original equipment manufacturer (OEM.)
Distributor - A broker, dealer, reseller or other person or agency engaged in the sale of parts.	Other - Record other type of business.
Owner/Operator - The owner or operator of an aircraft.	Unknown

9. Record a brief narrative stating why you believe the part is not approved. Include a description of the part (improper configuration, suspect marking, different material, etc.), where it was obtained, and what type of documentation was supplied with it.
10. Record the complete name and address of the location where the part was found. Check the appropriate block to reflect the affiliation of the company or person who discovered the part.
11. Record the date the CAA 21-08 is being submitted.
12. Check this box if you request anonymity (do not wish to provide your identity), and do not complete 13 or 14.
13. Record your name, address and phone number, if desired. This information will enable the CASA to contact you for additional information, if necessary.
14. Check this box if you request confidentiality of your personal information recorded in block 13.
15. Check this box if you have provided additional information (photos, invoices, certification statements, etc.)

Forward the completed CAA 21-08, Suspected Unapproved Parts Report, to:

**Civil Aviation Safety Authority of Papua New Guinea
Office of the Director, Morea Tobo Road, Six Mile, Port
Moresby, NCD, Papua New Guinea.**

An electronic copy of CAA Form 21-08, Suspected Unapproved Parts Report, is available on the CASA PNG website at <http://www.casapng.gov.pg>.

You may complete the form and email it to the CASA PNG Manager Airworthiness directly.
(Note:- As this form is derived from the FAA 8120-11 SUPs report form, you also have the option of automatically emailing a copy to the FAA SUPs program manager directly for their information.)

