



CIVIL AVIATION SAFETY AUTHORITY OF PNG

PNG Civil Aviation Rule Part 71

Designation and Classification of Airspace

Applicable 14 December 2020

DESCRIPTION

Part 71 prescribes the designation and classification of airspace within the territorial limits of Papua New Guinea. ICAO standards and recommended practices are complied with where practicable in this Part.

Part 71 aligns with:

- Amendment 52 of Annex 11

BULLETIN

Amendment	Effective Date
Amendment 1	1 January 2004
Amendment 2	1 May 2017
Amendment 3	4 December 2019
Amendment 4	11 December 2020

Summary of amendments:***Amendment 4:***
(Docket 20/08/CAR71/15)

- (1) Rule 71.17 amended for updated description of Port Moresby FIR boundary;
- (2) Rule 71.19 New rule on PNG Airspace Classification description;
- (3) Rule 71.151(d) New rule on designation of numbers for Restricted, Danger and Prohibited (RDP) Areas;
- (4) Rules 71.153(b)(3), 7.155(b)(3) & 71.157(b)(2) amended. Allocation of Nationality letters to RDP Areas
- (5) Rule 71.153(c) editorial corrections - paragraphs consolidated and re-numbered.

Schedule of Rules

Subpart A—General	6
71.1 Purpose	6
71.3 Overview of this Part.....	6
71.5 Boundaries of designated airspace	6
71.7 Application for designation and classification of airspace.....	7
71.9 Procedures for designation and classification of airspace	7
71.11 Review of designated and classified airspace.....	8
71.13 Withdrawal of designations and change of airspace classification	8
71.15 Papua New Guinea Air Navigation Register	9
71.17 Port Moresby Flight Information Region	9
71.19 Papua New Guinea Airspace Classification	10
Subpart B—Controlled Airspace	10
71.51 General.....	10
71.53 Control areas.....	11
71.55 Control zones.....	11
71.57 Aerodrome traffic zones	12
71.59 VFR transit lanes	13
71.61 Subsidiary airspace designations	13
Subpart C—Airspace Classification	13
71.101 Class A airspace.....	13
71.103 Class B airspace	13
71.105 Class C airspace	14
71.109 Class E airspace	14
71.111 Class F airspace.....	15
71.113 Class G airspace.....	15
Subpart D—Special Use Airspace	15
71.151 General.....	15
71.153 Restricted areas	15
71.155 Danger areas.....	16
71.157 Prohibited areas.....	16
71.159 Military operating areas	17
71.161 Low flying zones.....	17
71.163 Mandatory broadcast zones.....	18
71.165 Volcanic hazard zones	18
71.167 Temporary airspace.....	18

71.169.	Conflict zones	19
Subpart E—Transponder mandatory airspace		19
71.201	Transponder mandatory airspace within controlled airspace.....	19
71.203	Transponder mandatory airspace within special use airspace	19
Subpart F—Miscellaneous		19
71.251	Visual reporting points.....	19
71.253	Area QNH zones	20
71.255	Mountainous zones	20
Subpart G—ADS-B mandatory airspace		20
71.301	ADS-B mandatory airspace within Class A, C and F airspace.....	20
71.303	ADS-B mandatory airspace within special use airspace.....	20
Appendix A		20

Subpart A—General

71.1 Purpose

This Part prescribes rules, for the designation and classification of airspace within the territorial limits of Papua New Guinea.

71.3 Overview of this Part

- (a) Under this Part the Director may designate-
 - (1) Any portion of airspace within the Port Moresby Flight Information Region as any one or more of the following:
 - (i) a sector if the Director considers such a designation is necessary to facilitate the provision of an air traffic service within the flight information region:
 - (ii) controlled and associated airspace in accordance with Subpart B:
 - (iii) special use airspace in accordance with Subpart D:
 - (iv) transponder mandatory airspace in accordance with Subpart E.
 - (v) ADS-B mandatory airspace in accordance with Subpart G.
 - (2) visual reporting points, area QNH zones, mountainous zones, and other miscellaneous designations in accordance with Subpart F.
- (b) The Director must classify airspace that is designated as controlled airspace under paragraph (a)(1)(ii) in accordance with Subpart C.
- (c) The Director may classify a portion of airspace that is not designated as controlled airspace under paragraph (a)(1)(ii) as Class F in accordance with Subpart C.
- (d) Any portion of airspace within the flight information region that is not designated as controlled airspace under paragraph (a)(1)(ii) is uncontrolled airspace and is classified as Class G airspace unless it is classified as Class F airspace under paragraph (c).

71.5 Boundaries of designated airspace

- (a) The lateral limits of airspace designated under this Part must be defined by-
 - 1) geographical co-ordinates in degrees, minutes, and seconds; and
 - 2) any one or more of the following:
 - (i) prominent geographical line features:
 - (ii) a circle or any part of a circle of specified radius around a geographical coordinate:
 - (iii) a great circle between 2 points:
 - (iv) a parallel of latitude.
- (b) The vertical limits of airspace designated under this Part must be defined by heights, altitudes, or flight levels.
- (c) Unless otherwise specified, the expression to a height includes that height.

71.7 Application for designation and classification of airspace

- (a) Any person with a bona fide interest in airspace may apply to the Director for a designation or classification of airspace under this Part.
- (b) An applicant for an airspace designation or classification must provide the following details:
 - (1) the name and contact details of the applicant;
 - (2) the type of designation or classification required;
 - (3) the reason for the designation or classification;
 - (4) the dimensions or other boundary information for the airspace that is required;
 - (5) the period for which the designation or classification is required;
 - (6) the contact details of any applicable administering authority or using agency;
 - (7) any other applicable information required by the Director.
- (c) Except for urgent requests that are associated with Police operations, search and rescue operations, security, or other emergency situations, an application for an airspace designation or classification must be submitted to the Director not less than 90 days before the date on which the designation or classification is to come into force unless a shorter period is acceptable to the Director.

71.9 Procedures for designation and classification of airspace

- (a) Before making a designation or classification under this Part, the Director must consult with such persons, organisations, and representative groups within the aviation industry and elsewhere, Government departments, and State agencies as the Director in each case considers appropriate, having regard to the requirements of—
 - (1) Subpart B (controlled airspace); and
 - (2) Subpart C (classification of airspace); and
 - (3) Subpart D (special use of airspace); and
 - (4) Subpart E (transponder mandatory airspace); and
 - (5) Subpart F (reporting points, area QNH zones, mountainous zones, and other miscellaneous designations); and
 - (6) Subpart G (ADS-B mandatory airspace).
- (b) For each designation or classification of airspace made under this Part, the Director must specify-
 - (1) the period that the designation or classification is active; or
 - (2) the method by which the designation or classification is made active.
- (c) Designations and classifications of airspace, and designations of reporting points, area QNH zones, and mountainous zones that are made under this Part do not come into force until those designations and classifications are notified and published in accordance with paragraphs (d) and (e)

- (d) Except as provided in paragraph (g), the Director must ensure that each of the following is notified in the *Gazette*:
- (1) a designation of airspace:
 - (2) a classification of airspace:
 - (3) a designation of a reporting point:
 - (4) a designation of an area QNH zone:
 - (5) a designation of a mountainous zone.
- (e) The Director must ensure that the details of each designation and classification of airspace, and each designation of a reporting point, area QNH zone, and mountainous zone are—
- (1) published in an AIP Supplement or by NOTAM; and
 - (2) entered in the Papua New Guinea Air Navigation Register.
- (f) The *Gazette* notice required under paragraph (d) must specify the date on which the designation and the classification, as the case may be, comes into force.
- (g) Designations and classifications that will be effective for a period of not more than 6 months need not be notified in the *Gazette*.

71.11 Review of designated and classified airspace

At least every 5 years, and when new Air Traffic Management procedures are to be introduced, the Director must review each current airspace designation and classification to-

- (1) verify the continuing need for the airspace designation or classification; and
- (2) to consider the appropriateness of the current classification.

71.13 Withdrawal of designations and change of airspace classification

- (a) If the Director is satisfied that a designation, or a classification, that has been made under this Part is no longer needed or is no longer appropriate, the Director may withdraw the designation or alter the classification.
- (b) Except as provided in paragraph (d), the withdrawal of an airspace designation or the change of an airspace classification made under paragraph (a) does not come into force-
- (1) until the withdrawal or change is notified in the *Gazette*; and
 - (2) the details are published in the AIP Supplement or by NOTAM; and
 - (3) the details in the Papua New Guinea Air Navigation Register are amended.
- (c) The *Gazette* notice required under paragraph (b)(1) must specify the date that the withdrawal of an airspace designation or the change of an airspace classification comes into force.
- (d) Paragraph (b)(1) does not apply to an airspace designation or an airspace classification that has been in force for a period of not more than 6 months.

71.15 Papua New Guinea Air Navigation Register

- (a) The Director must establish and maintain a register, called the Papua New Guinea Air Navigation Register.
- (b) The Director must ensure that the Papua New Guinea Air Navigation Register contains the following information-
 - (1) a current description of each portion of airspace that is designated under this Part; and
 - (2) a current description of the boundary information of each portion of airspace that is classified by the Director as class G or F; and
 - (3) current information, including the name or designator and coordinates of each visual reporting point designated under this Part; and
 - (4) the details required under Part 95 for each current instrument flight procedure;
 - (5) the details required under Part 95 for each current aerodrome meteorological minima.
 - (6) the period from which each area of airspace designated by the Director is effective or the method by which the designation is made effective.
 - (7) the details for every right-hand aerodrome traffic circuit for which a determination has been issued under part 93.

71.17 Port Moresby Flight Information Region

The Port Moresby flight information region—

- (1) comprises all that airspace bounded by the following coordinates:

000000S 1410000E, 000000S 1600000E, 045000S 1600000E, 045000S 1590000E,
 063300S 1560209E, 063950S 1560223E, 064104S 1560136E, 065050S 1555523E,
 065533S 1554137E, 065533S 1553808E, 071900S 1550000E, 120000S 1550000E,
 120000S 1440000E, 114330S 1440420E, 113000S 1440136E, 112935S 1440131E,
 111510S 1440307E, 111413S 1440338E, 111107S 1440421E, 110637S 1440351E,
 110224S 1440233E, 105900S 1440200E, 105205S 1440046E, 104641S 1435959E,
 104114S 1435810E, 103457S 1435536E, 103110S 1435441E, 102638S 1435424E,
 102244S 1435525E, 101751S 1435445E, 100850S 1435711E, 100515S 1435852E,
 095634S 1440521E, 092400S 1441400E, 090800S 1435230E, 091924S 1424818E,
 092018S 1424354E, 092024S 1424142E, 092124S 1423530E, 092236S 1423330E,
 092148S 1423130E, 092206S 1422942E, 091606S 1422042E, 091354S 1421624E,
 091136S 1421406E, 091124S 1421254E, 091200S 1421018E, 091154S 1420836E,
 091248S 1420624E, 091542S 1420330E, 093700S 1410200E, 065334S 1410106E,
 065032S 1405354E, 063615S 1405213E, 062804S 1405550E, 061914S 1410000E,
 000000S 1410000E; and
- (2) has an unlimited upper limit; and
- (3) has the surface of the earth as the lower limit;

71.19 Papua New Guinea Airspace Classification

- (1) Class A:
All airspace within the Port Moresby FIR from FL245 to FL600
- (2) Class C:
 - (i) Port Moresby:
Control Zone and Control Area steps up to FL245 (Refer PNG AIP for details)
 - (ii) Nadzab:
Control Zone and Control Area steps up to FL245 (Refer PNG AIP for details)
- (3) Class F:
ATZs:
 - (i) Goroka: Within the ATZ boundary as published in the PNG AIP up to FL200
 - (ii) Madang: Within the ATZ boundary as published in the PNG AIP up to FL200
 - (iii) Mt Hagen: Within the ATZ boundary as published in the PNG AIP up to FL200
 - (iv) Tokua: Within the ATZ boundary as published in the PNG AIP up to FL200

Remaining airspace:
All remaining Class F airspace contained within the Port Moresby FIR

Subpart B—Controlled Airspace

71.51 General

- (a) Where the Director determines that an air traffic control service is required in a portion of airspace within the flight information region, the Director must-
 - (1) designate that portion of airspace as a control area or a control zone in accordance with this Subpart; and
 - (2) classify that portion of airspace as Class A, B, C, D or E airspace in accordance with Subpart C.
- (b) If another ICAO Contracting State provides an air traffic control service for any portion of airspace within the Port Moresby Flight Information Region, the Director must-
 - (1) designate that portion of airspace as a control area or a control zone in accordance with this Subpart after consulting with the other State; and
 - (2) classify that portion of airspace as Class A, B, C, D, or E airspace in accordance with Subpart C.
- (c) The Director may designate portions of airspace within a control area or control zone as a specific sector to facilitate air traffic management.
- (d) A control area or control zone becomes uncontrolled class F airspace during those times when an air traffic control service is not being provided within that control area or control zone.
- (e) For each portion of airspace designated as a control area or control zone the Director must-
 - (1) specify the air traffic control unit that has responsibility for providing the air traffic control service within that control area or control zone; and

- (2) identify the control area or control zone by-
 - (i) the ICAO nationality letters of the State followed by the letter “A” followed by a number; and
 - (ii) the name of the air traffic control unit providing the air traffic control service within that control area or control zone, except that, if appropriate, the control area or control zone may be identified with the name of the aerodrome, town, city, or geographical feature over which the control area or control zone is established.

71.53 Control areas

- (a) The Director may specify a control area designated under this Part as—
 - (1) a terminal control area (TMA), if the Director determines that an approach control service is required at the confluence of ATS routes in the vicinity of one or more major aerodromes; or
 - (2) an upper control area (UTA), if the Director determines that an area control service is required; or
 - (3) an oceanic control area (OCA), normally over the high seas.
- (b) The upper limit of a control area must not exceed flight level 600.
- (c) The lower limit of a control area must—
 - (1) be at least 500 feet below the flight paths of IFR flights that the Director determines are required to be provided with an air traffic control service; and
 - (2) be established at—
 - (i) the highest practical altitude; and
 - (ii) not less than 700 feet above the surface of the earth; and
 - (iii) when the lower limit of a control area is above 3000 feet AMSL, coincide with a VFR cruising altitude or flight level prescribed in Part 91.
- (d) The lateral limits of a control area shall reflect the capabilities of the communication, air navigation and surveillance systems, normally used in the area.
- (e) If a portion of airspace below a control area is designated as another control area, the upper limit of the lower control area must extend to the lower limit of the control area directly above it.

71.55 Control zones

- (a) The Director may designate as a control zone that portion of airspace around an aerodrome if:
 - (1) the Director determines that an aerodrome control services or an aerodrome and approach control service is required; and
 - (2) the traffic density, pattern and complexity requires controlled airspace.

- (b) A control zone must be as small as practical consistent with the need to protect the flight paths of IFR flights arriving at and departing from the aerodrome.
- (c) The lateral limits of a control zone must—
 - (1) encompass at least those portions of the airspace that are not within a control area containing the paths of IFR flights arriving at and departing from the aerodrome under IMC; and
 - (2) extend to at least 5 nm from the centre of the aerodrome in the directions from which instrument approaches may be made; and
 - (3) take into account the types of IFR aircraft using the aerodrome, and the areas of airspace that need to be protected for those IFR flights.
- (d) Prominent geographical features must be used, where practical, to define the lateral limits of a control zone.
- (e) The vertical limits of a control zone shall extend from the surface of the earth to a specified altitude.
- (f) A control zone with an upper limit above 3000 feet AMSL must coincide with a VFR cruising altitude or flight level prescribed in Part 91.
- (g) If a portion of airspace below a control area is designated as a control zone, the upper limit of the control zone must extend to the lower limit of the control area.

71.57 Aerodrome traffic zones

- (a) The Director may designate as an aerodrome traffic zone that portion of airspace around an aerodrome if:
 - (1) the Director determines that an aerodrome control service is required; and
 - (2) the traffic density, pattern and complexity of procedures require the establishment of aerodrome control service at the aerodrome.
- (b) An aerodrome traffic zone must be as small as practical consistent with the need to protect the VFR traffic patterns of aircraft using that aerodrome.
- (c) The lateral limits of an aerodrome traffic zone must—
 - (1) encompass at least those portions of the airspace that are not within a control area containing the paths of IFR flights arriving at and departing from the aerodrome under VMC; and
 - (2) take into account the types of aircraft using the aerodrome, and the areas of airspace that need to be protected for those IFR flights.
- (d) Prominent geographical features must be used, where practical, to define the lateral limits of an aerodrome traffic zone.
- (e) The vertical limits of an aerodrome traffic zone shall extend from the surface of the earth to a specified altitude.

71.59 VFR transit lanes

- (a) The Director may designate a portion of controlled airspace as a VFR transit lane for either of the following purposes—
 - (1) separating transiting VFR traffic from arriving and departing IFR flights; and
 - (2) permitting transiting VFR traffic to operate within the VFR transit lane without requiring ATC clearance—
- (b) A VFR transit lane must be clear of airspace that encompasses IFR arrival and departure procedures within that controlled airspace.
- (c) The Director must-
 - (1) ensure that buffer zones are provided between the nominal flight paths of arriving and departing IFR flights and each VFR transit lane; and
 - (2) identify each VFR transit lane by the ICAO nationality letters of the State followed by the letter “T” followed by a number.
- (d) A VFR transit lane is class G airspace and may only be active during the day.

71.61 Subsidiary airspace designations

If the Director considers it necessary in the interests of aviation safety, air traffic management, or international agreements, the Director may designate any controlled airspace or portion of controlled airspace as either or both of the following:

- (1) RNP airspace, on consideration of, air traffic density and ATS route structure, and air navigation system accuracy:
- (2) RVSM airspace, on consideration of, air traffic density and ATS route structure, and aircraft altimetry system accuracy.

Subpart C—Airspace Classification**71.101 Class A airspace**

Any portion of airspace that is designated as a control area or control zone under 71.51(a) or (b) must be classified as Class A airspace if the Director considers it necessary in the interests of aviation safety that—

- (1) separation is required between all flights; and
- (2) VFR flights are not permitted.

71.103 Class B airspace

Any portion of airspace that is designated as a control area or control zone under 71.51(a) or (b) must be classified as Class B airspace if the Director considers it necessary in the interests of aviation safety that separation is required between all flights.

71.105 Class C airspace

Any portion of airspace that is designated as a control area or control zone under 71.51(a) or (b) must be classified as Class C airspace if the Director considers it necessary in the interests of aviation safety that—

- 1) separation is required between—
 - (i) IFR flights; and
 - (ii) IFR and VFR flights; and
 - (iii) IFR and special VFR flights; and
 - (iv) special VFR flights when the flight visibility is reported to be less than 5 km; and
- (2) traffic information must be provided to VFR flights about other VFR flights; and
- (3) traffic avoidance advice must be provided to VFR flights on request.

71.107 Class D airspace

Any portion of airspace that is designated as a controlled area or controlled zone under 71.51(a) or (b) must be classified as Class D airspace if the Director considers it necessary in the interests of aviation safety that—

- (1) separation is required between—
 - (i) IFR flights; and
 - (ii) IFR and VFR flights during night; and
 - (iii) IFR and special VFR flights; and
 - (iv) special VFR flights when the flight visibility is reported to be less than 5 km; and
- (2) traffic information is required for—
 - (i) IFR flights about VFR flights during day; and
 - (ii) VFR flights about IFR flights, and
 - (iii) VFR flights about other VFR flights; and
- (3) traffic avoidance advice must be provided to IFR and VFR flights on request.

71.109 Class E airspace

Any portion of airspace that is designated as a control area or control zone under 71.51(a) or (b) must be classified as Class E airspace if the Director considers it necessary in the interests of aviation safety that—

- (1) separation is required between—
 - (i) IFR flights; and
 - (ii) IFR flights and VFR flights during night; and
- (2) traffic information must be provided, where practical, to—
 - (i) IFR flights about VFR flights during day; and
 - (ii) VFR flights about IFR flights; and
 - (iii) VFR flights about other VFR flights.

71.111 Class F airspace

The Director may classify any portion of uncontrolled airspace as Class F airspace if the Director considers it necessary in the interests of aviation safety that—

- (1) IFR flights within the airspace need to receive an air traffic advisory service; and
- (2) all flights within the airspace should receive a flight information service if requested.

71.113 Class G airspace

Class G airspace is any uncontrolled airspace that is not Class F airspace and-

- (1) IFR flights are entitled to receive a flight information service; and
- (2) VFR flights are entitled to receive a flight information service on request.

Subpart D—Special Use Airspace

71.151 General

- a) The Director may designate special use airspace under this Part if the Director considers such airspace necessary-
 - (1) in the interests of safety or security within the civil aviation system; or
 - (2) in the interests of national security; or
 - (3) for any other reason in the public interest.
- b) The Director must ensure that each portion of airspace designated under this Part is as small as practicable, consistent with the activities for which the area is required.
- c) Airspace designated by the Director under this Part must be identified by an alphanumeric designator that is not being used to identify any other portion of airspace designated under this Part.
- d) To avoid confusion, identification numbers shall not be reused for a period of at least one year after cancellation of the area to which they refer.

71.153 Restricted areas

- (a) The Director may-
 - (1) designate a portion of airspace as a restricted area within the territorial limits of Papua New Guinea to restrict the activities of aircraft within that area; and
 - (2) impose conditions under which-
 - (i) aircraft may be permitted to fly within the area; and
 - (ii) the administering authority responsible for the restricted area must operate.
- (b) The Director must-
 - (1) specify the type of activity for which each restricted area is designated; and
 - (2) specify the administering authority responsible for each restricted area; and
 - (3) identify each area by the letters AYR followed by a number, except that on maps and charts the letter R followed by the number may be used.

- (c) The administering authority responsible for a restricted area-
- (1) must manage:
 - (i) the entry of aircraft into the restricted area; and
 - (ii) the operation of aircraft within the restricted area; and
 - (iii) the exit of aircraft from the restricted area; and
 - (2) if the restricted area is designated to be made active by NOTAM, must at least 24 hours before the restricted area is to become active, give to the NOTAM office notice of that restricted area becoming effective, except that in the case of emergencies less than 24 hours' notice may be given.
 - (3) may, within any conditions imposed by the Director under paragraph (a)(2)(ii), impose conditions under which an aircraft may be operated within the restricted area.

71.155 Danger areas

- a) The Director may designate a portion of airspace as a danger area, to notify operators that there is potential danger to aircraft flying in the area.
- (b) The Director must—
 - (1) specify the nature of the danger for which each danger area is designated; and
 - (2) if the Director considers it necessary, nominate a using agency as a contact point for the danger area; and
 - (3) identify the area by the letters AYD followed by a number, except that on maps and charts the letter D followed by the number may be used.
- (c) The using agency for a danger area must—
 - (1) be a person or organisation that is responsible for the activity that necessitated the danger area being so designated; and
 - (2) ensure the activities that necessitated the designation of the danger area are contained within the danger area; and
 - (3) if the danger area is designated to be made active by NOTAM, must at least 24 hours before the danger area is to become active, give to the NOTAM office notice of that danger area becoming effective, except that in the case of emergencies less than 24 hours' notice may be given.

71.157 Prohibited areas

- (a) The Director may designate a portion of airspace as a prohibited area within the territorial limits of Papua New Guinea, to prohibit the activities of aircraft within the area.
- (b) The Director must—
 - (1) specify the reason why the operation of aircraft within the area is prohibited; and
 - (2) identify the prohibited area by the letters AYP followed by a number, except that on maps and charts the letter P followed by the number may be used.

71.159 Military operating areas

- (a) The Director may-
 - (1) Designate a portion of airspace as a military operating area to segregate military activities from other traffic; and
 - (2) Impose conditions under which-
 - (i) aircraft may be permitted to fly within that military operating area; and
 - (ii) an administering authority specified under paragraph (b) ((2) must operate.
- (b) The Director must-
 - (1) specify the type of activity for which each military operating area is designated; and
 - (2) specify the administering authority responsible for each military operating area; and
 - (3) identify each military operating area by the ICAO nationality letters of the applicable State followed by the letter “M” followed by a number.
- (c) The administering authority responsible for a military operating area-
 - (1) must manage-
 - (i) the entry of aircraft into the military operating area; and
 - (ii) the operation of aircraft within the military operating area; and
 - (iii) the exit of aircraft from the military operating area; and
 - (2) if the military operating area is designated as being made active by NOTAM, must at least 24 hours before the military operating area is to become active, give to the Papua New Guinea NOTAM Office notice of that military operating area becoming active, except that in the case of emergencies less than 24 hours’ notice may be given; and
 - (3) may, within any conditions imposed by the Director under paragraph (a)(2)(ii), impose conditions under which an aircraft may be operated within the military operating area.

71.161 Low flying zones

- (a) The Director may designate a portion of airspace as a low flying zone where pilot training in low level flying may be conducted.
- (b) The Director must—
 - (1) nominate a using agency responsible for-
 - (i) briefing pilots on the associated conditions of use agreed with the registered owner or administrator of the land or water below the low flying zone; and
 - (ii) complying with paragraphs (e) and (f).
 - (2) identify the low flying zone by the letters PGL followed by a number, except that on maps and charts the letter L followed by the number may be used.

- (c) A low flying zone may only be active during the day.
- (d) The vertical limits of a low flying zone must extend from the surface of the earth to a height of 500 ft.
- (e) The Director may not designate a portion of airspace as a low flying zone unless the using agency nominated for the low flying zone under paragraph (b)(1)—
 - (1) provides the Director with a map or chart on which the boundaries of the zone are defined; and
 - (2) satisfies the Director that the registered owner or administrator of the land or water below the low flying zone consents to the portion of airspace above their land or water being used for low flying; and
 - (3) provides the Director with full details of consultation with other airspace users.
- (f) A using agency nominated under paragraph (b)(1) must, satisfy the Director if requested to, that the using agency continues to have the consent referred to in paragraph (e)(2).

71.163 Mandatory broadcast zones

- (a) The Director may designate a portion of uncontrolled airspace as a mandatory broadcast zone if, due to traffic density or special circumstances, the pilots within that zone are required to make radio broadcasts of their positions and intentions.
- (b) The Director must—
 - (1) Identify each mandatory broadcast zone by the ICAO nationality letters of the applicable State followed by the letter “B” followed by a number; and
 - (2) Assign the radio frequency to be used within the mandatory broadcast zone for the mandatory radio broadcasts; and
 - (3) Prescribe the maximum interval between a pilot’s mandatory radio broadcasts.

71.165 Volcanic hazard zones

- (a) The Director may designate a portion of airspace as a volcanic hazard zone if volcanic activity (such as flying rocks, gas plumes, and ash clouds) may present a hazard to aircraft.
- (b) The Director must identify each volcanic hazard zone by the ICAO nationality letters of the applicable State followed by the letter “V” followed by the number.

71.167 Temporary airspace

- (a) The Director may, where the Director considers it necessary in the interests of aviation safety or security or for any reason in the public interest, designate an area of airspace as a temporary danger, restricted or prohibited area.
- (b) The Director shall ensure that each temporary danger, restricted or prohibited area that is designated under paragraph (a) is effective for a period not exceeding 3 months.

71.169. Conflict zones

- a) The Director may designate a portion of airspace as a conflict zone, to notify operators that there is potential risk to aircraft flying in the area.
- b) The Director must—
 - (1) specify the nature of the conflict for which each conflict zone is designated; and
 - (2) if the conflict zone is designated to be made active by NOTAM, must give to the NOTAM office notice of the conflict zone.

Subpart E—Transponder mandatory airspace**71.201 Transponder mandatory airspace within controlled airspace**

The Director may designate a control area or a control zone, or any portion of a control area or a control zone, as transponder mandatory airspace if-

- (1) the operation of transponders is required for the provision of an air traffic control surveillance service; or
- (2) the Director determines that the traffic density in the airspace requires the operation of transponders to reduce the risk of an airborne collision with those aircraft that are required to be fitted with an airborne collision avoidance system.

71.203 Transponder mandatory airspace within special use airspace

The Director may designate any portion of special use airspace as transponder mandatory airspace if the Director determines that the traffic density in the airspace requires the operation of transponders to reduce the risk of an airborne collision with those aircraft that are required to be fitted with an airborne collision avoidance system.

Subpart F—Miscellaneous**71.251 Visual reporting points**

- (a) The Director may designate visual reporting points for the purpose of-
 - (1) facilitating the requirements of air traffic services for information regarding the progress of aircraft in flight; and
 - (2) facilitating the safe conduct of flight by visual reference.
- (b) The Director must ensure that visual reporting points
 - (1) are based on prominent geographical features; and
 - (2) are identified by names and designators that-
 - (i) are easily recognisable in voice communications; and
 - (ii) will not be confused with those of other reporting points in the same general area; and
 - (iii) do not create confusion with other communications exchanged between air traffic services and pilots.

71.253 Area QNH zones

The Director may designate as an area QNH zone those portions of airspace from the surface of the earth to an altitude of 20 000 feet within which a common area QNH altimeter setting must be used.

71.255 Mountainous zones

The Director may designate a portion of airspace as a mountainous zone if, in the interests of safety, the Director considers it necessary to increase the minimum obstacle clearance to provide additional height above terrain for IFR flights to accommodate the possible effects of turbulence, down draughts, and other meteorological phenomena on the performance of aircraft.

Subpart G—ADS-B mandatory airspace

71.301 ADS-B mandatory airspace within Class A, C and F airspace

The Director may designate a control area or a control zone, or any portion of a control area or a control zone; or uncontrolled airspace as ADS-B airspace if-

- (1) the operation of ADS-B is required for the provision of an air traffic control surveillance and traffic information; or
- (2) the Director determines that the traffic density in the airspace requires the operation of ADS-B to reduce the risk of an airborne collision with those aircraft that are required to be fitted with an airborne collision avoidance system.

71.303 ADS-B mandatory airspace within special use airspace

The Director may designate any portion of special use airspace as ADS-B airspace if the Director determines that the traffic density in the airspace requires the operation of transponders to reduce the risk of an airborne collision with those aircraft that are required to be fitted with an airborne collision avoidance system.

Appendix A

Transitional Provisions

- (a) The designation of—
 - (1) the Port Moresby flight information region; and
 - (2) visual reporting points; and
 - (3) control areas; and
 - (4) terminal control areas; and
 - (5) upper control areas; and
 - (6) control zones; and
 - (7) aerodrome traffic zones; and

-
- (8) mandatory broadcast zones; and
 - (9) transponder mandatory airspace; and
 - (10) ADS-B mandatory airspace
- (b) The classification of airspace that existed immediately prior to this Part coming into effect, shall be deemed to be airspace classified and notified under and in accordance with this Part.
- (c) QNH areas and zones that existed immediately prior to this Part coming into effect, shall be deemed to be QNH zones designated and notified under and in accordance with this Part.